

**Crimping tool
PZ 16**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-2083
www.weidmueller.com

**Crimping tools for wire end ferrules, with and without plastic collars**

- Ratchet guarantees precise crimping
- Release option in the event of incorrect operation

General ordering data

Order No.	9012600000
Type	PZ 16
Version	Crimping tool, Crimping tool for wire-end ferrules, 6 mm ² , 16 mm ² , Indent crimping
EAN	4008190035440
Qty.	1 pc(s).

Crimping tool PZ 16

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 16
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-2083
 www.weidmueller.com

Technical data

Dimensions

Length	200 mm	Weight	418 g
--------	--------	--------	-------

Technical data

Version	Mechanical, without interchangeable inserts
---------	---

Description of contact

Type of contact	Wire-end ferrules with/without plastic collars	Crimping range, min.	6 mm ²
Crimping range, max.	16 mm ²		

Tool data, crimping

Crimping profile 1, min.	6 mm ²	Crimping type/profile	Indent crimping
Wire end ferrules cross-section, min.	6 mm ²	Wire end ferrules cross-section, max.	16 mm ²
Crimping profile 2, min.	10 mm ²	Crimping profile 3, min.	16 mm ²

Classifications

ETIM 2.0	EC000168	ETIM 3.0	EC000168
ETIM 4.0	EC000168	UNSPSC	23-17-16-04
eClass 4.1	21-04-03-01	eClass 5.1	21-04-03-01
eClass 6.0	21-04-38-90		

Approvals

Approvals	GOSTT402
-----------	----------

Product notes

Note, accessories	Information and ordering data for wire end ferrules - see chapter J accessories wire end ferrules
Description of article	Crimping tool for wire end ferrules with/without plastic collar, 6 bis 16 mm ²
Product description	<ul style="list-style-type: none"> • Crimp complies with Euro-Norm EN 60947-1 • Approval according to VG 95211 (military designation VG 95 236 T 14 B 002) • Three crimping stations corresponding to the conductor cross-sections • Wire-end ferrule insertion from the side

Datasheet

**Crimping tool
PZ 16**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-2083
www.weidmueller.com

Drawings

