

## Crimping tool PZ 6 Roto

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 16  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-2083  
www.weidmueller.com



### Crimping tools for wire end ferrules, with and without plastic collars

- Ratchet guarantees precise crimping
- Release option in the event of incorrect operation

### General ordering data

Order No.	<a href="#">9014350000</a>
Type	PZ 6 Roto
Version	Crimping tool, Crimping tool for wire-end ferrules, 0.14 mm <sup>2</sup> , 6 mm <sup>2</sup> , Trapezoidal crimp
EAN	4008190406615
Qty.	1 pc(s).

## Crimping tool PZ 6 Roto

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 16  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-2083  
 www.weidmueller.com

## Technical data

### Dimensions

Length	200 mm	Weight	428 g
--------	--------	--------	-------

### Technical data

Version	Mechanical, without interchangeable inserts
---------	---

### Description of contact

Type of contact	Wire-end ferrules with/without plastic collars	Crimping range, min.	0.14 mm <sup>2</sup>
Crimping range, max.	6 mm <sup>2</sup>		

### Tool data, crimping

Crimping type/profile	Trapezoidal crimp	Wire end ferrules cross-section, min.	0.14 mm <sup>2</sup>
Wire end ferrules cross-section, max.	6 mm <sup>2</sup>		

### Classifications

ETIM 2.0	EC000168	ETIM 3.0	EC000168
ETIM 4.0	EC000168	UNSPSC	23-17-16-04
eClass 4.1	21-04-03-01	eClass 5.1	21-04-03-01
eClass 6.0	21-04-38-90		

### Approvals

Approvals	GOSTT402
-----------	----------

### Product notes

Note, accessories	Information and ordering data for wire end ferrules - see chapter J accessories wire end ferrules
Description of article	Crimping tool for wire end ferrules with/without plastic collar, 0.14 to 6 mm <sup>2</sup>
Product description	<ul style="list-style-type: none"> <li>• Only one die for the whole cross-section range</li> <li>• Rotating die enables wire-end ferrule insertion from the front or side</li> </ul>

**Datasheet**

**Crimping tool  
PZ 6 Roto**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 16  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-2083  
[www.weidmueller.com](http://www.weidmueller.com)

**Drawings**

